

# Safety Data Sheet

Compilation date: 28/10/2015 Revision date: 28/10/2015

Revision number: 1

Date generated: 08/08/2023

# Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: SwanMatic

Other identification:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Floor cleaner

1.3 Details of the supplier of the safety data sheet

SwanTek

Mintsfeet Road South, Kendal, LA9 6ND, UK

Tel: +44 (0)1539 722247 Email: service@swantek.com Web: www.swantek.com

1.4 Emergency telephone number

As per section 1.3

#### **Section 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of H-phrases: see section 16

2.2 Label elements

Hazard pictograms: CLP 05 Corrosive

(none) (none)

Signal word: Danger

**Hazard statements:** H314 - Causes severe skin burns and eye damage **Precautionary statements:** P264 - Wash hands thoroughly after handling P280 - Wear eye protection, protective gloves

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P405 - Store locked up

P315 - Get immediate medical advice/attention

Other label elements: Hazardous ingredients: 2-Ethylhexanol, ethoxylated, sodium hydroxide, caustic soda

2.3 Other hazards

No additional information available

# Section 3: Composition / information on ingredients

### 3.1 Substances

### 3.2 Mixtures

2-Ethylhexanol, ethoxylated

(CAS No) 26468-86-0, (EC no) 607-943-2

1-5%

Eye Dam. 1, H318

Sodium hydroxide, caustic soda

(CAS No) 1310-73-2, (EC no) 215-185-5, (EC index no) 011-002-00-6

1-5%

616: SwanMatic Page 1 of 6

Skin Corr. 1A, H314

Fatty alcohol alkoxylate (CAS No) Polymer\_DT108 1-5% Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of H-phrases: see section 16

# Section 4: First aid measures

### 4.1 Description of first aid measures

**General:** Get medical advice/attention if you feel unwell.

**Inhalation:** Remove person to fresh air and keep comfortable for breathing.

Ingestion: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

**Skin:** Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it before

reuse.

Eye: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate

medical advice/attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

General:

**Inhalation:** May cause respiratory irritation.

**Ingestion:** Burns. **Skin:** Burns.

**Eye:** Causes serious eye damage.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **Section 5: Firefighting measures**

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Foam.

# 5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire: Corrosive vapours.

#### 5.3 Advice for firefighters

No additional information available

### Section 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Evacuate unnecessary personnel. Use personal protective equipment as required.

# **6.2 Environmental precautions**

Avoid release to the environment.

#### 6.3 Methods and material for containment and cleaning up

Collect spillage. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

# 6.4 Reference to other sections

For further information refer to sections 8 and 13.

# Section 7: Handling and storage

# 7.1 Precautions for safe handling

Avoid contact with eyes. Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities

Technical measures: Does not require any specific or particular technical measures.

Storage conditions: Keep container closed when not in use.

Incompatible products: Oxidizing agent. Strong acids.

616: SwanMatic Page 2 of 6

Incompatible materials: Metals.

Special rules on packaging: Keep only in original container.

#### 7.3 Specific end use(s)

No additional information available

# Section 8: Exposure controls / personal protection

#### 8.1 Control parameters

No additional information available

#### 8.2 Exposure controls

Materials for protective clothing: Not required for normal conditions of use

Hand protection: Protective gloves Eye protection: Safety glasses

Skin and body protection: Not required for normal conditions of use Respiratory protection: Not required for normal conditions of use

# **Section 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Note: This information represents typical data and is not a specification.

Physical state Liquid
Appearance Liquid
Colour Dark yellow
Odour Characteristic

pH 13 Relative density 1.02

#### 9.2 Other information

No additional information available

# Section 10: Stability and reactivity

#### 10.1 Reactivity

No additional information available

#### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

No additional information available

#### 10.4 Conditions to avoid

No additional information available

# 10.5 Incompatible materials

Metals

#### 10.6 Hazardous decomposition products

No additional information available

# **Section 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity: Not classified

Skin corrosion/irritation: Causes severe skin burns and eye damage, pH: 13

Serious eye damage/irritation: Causes serious eye damage, pH: 13

Respiratory or skin sensitisation: Not classified

Germ cell mutagenicity: Not classified Carcinogenicity: Not classified Reproductive toxicity: Not classified

Specific target organ toxicity (single exposure): Not classified Specific target organ toxicity (repeated exposure): Not classified

Aspiration hazard: Not classified

616: SwanMatic Page 3 of 6

# **Section 12: Ecological information**

#### 12.1 Toxicity

2-Ethylhexanol, ethoxylated (26468-86-0)

LC50 fishes 1: 13 mg/l

EC50 other aquatic organisms 1: 6.5 mg/l EC50 waterflea (48 h) EC50 other aquatic organisms 2: 6.6 mg/l IC50 algea (72 h) mg/l

Fatty alcohol alkoxylate (Polymer\_DT108) EC50 other aquatic organisms 1: ≈ 1 - 10 mg/l

#### 12.2 Persistence and degradability

No additional information available

#### 12.3 Bioaccumulative potential

No additional information available

#### 12.4 Mobility in soil

No additional information available

#### 12.5 Results of PBT and vPvB assessment

No additional information available

#### 12.6 Other adverse effects

No additional information available

# **Section 13: Disposal considerations**

#### 13.1 Waste treatment methods

No additional information available

# **Section 14: Transport information**

# General

### 14.1 UN Number

UN-No. (ADR/IMDG/IATA): 1760

# 14.2 UN proper shipping name

Proper Shipping Name (ADR/IMDG/IATA): CORROSIVE LIQUID, N.O.S.

Transport document description (ADR): UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III, (E)

Transport document description (IMDG): UN 1760 CORROSIVE LIQUID, N.O.S., 8, III

#### 14.3 Transport hazard class(es)

Transport hazard class(es) (ADR/IMDG/IATA): 8
Danger labels (ADR/IMDG/IATA): 8 (Corrosive)

### 14.4 Packing group

Packing group (ADR/IMDG/IATA): III

# 14.5 Environmental hazards

Dangerous for the environment: No

Marine pollutant: No

Other information: No supplementary information available

# 14.6 Special precautions for user

- Overland transport

Classification code (ADR): C9 Special provisions (ADR): 274 Limited quantities (ADR): 5L Excepted quantities (ADR): E1

Packing instructions (ADR): P001, IBC03, LP01, R001

Mixed packing provisions (ADR): MP19

Portable tank and bulk container instructions (ADR): T7

Portable tank and bulk container special provisions (ADR): TP1, TP28

Tank code (ADR): L4BN

616: SwanMatic Page 4 of 6

Vehicle for tank carriage: AT Transport category (ADR): 3

Special provisions for carriage - Packages (ADR): V12 Hazard identification number (Kemler No.): 80

Orange plates: 80/1760

Tunnel restriction code (ADR): E

EAC code: 2X APP code: B

# - Transport by sea

Special provisions (IMDG): 223, 274 Limited quantities (IMDG): 5L Excepted quantities (IMDG): E1

Packing instructions (IMDG): P001, LP01 IBC packing instructions (IMDG): IBC03

Tank instructions (IMDG): T7

Tank special provisions (IMDG): TP1, TP28

EmS-No. (Fire): F-A EmS-No. (Spillage): S-B Stowage category (IMDG): A

#### - Air transport

PCA Excepted quantities (IATA): E1 PCA Limited quantities (IATA): Y841

PCA limited quantity max net quantity (IATA): 1L

PCA packing instructions (IATA): 852 PCA max net quantity (IATA): 5L CAO packing instructions (IATA): 856 CAO max net quantity (IATA): 60L Special provisions (IATA): A3

ERG code (IATA): 8L

### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code

Not applicable

# **Section 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU-Regulations** 

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### National regulations

### Germany

VwVwS Annex reference: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Denmark

Recommendations Danish Regulation: Young people below the age of 18 years are not allowed to use the product

#### 15.2 Chemical safety assessment

No additional information available

# Section 16: Other information

Full text of H- and EUH-phrases:

Eye Dam. 1: Serious eye damage/eye irritation, Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Category 2

616: SwanMatic Page 5 of 6

Skin Corr. 1A: Skin corrosion/irritation, Category 1A Skin Irrit. 2: Skin corrosion/irritation, Category 2 H314: Causes severe skin burns and eye damage

H315: Causes skin irritation H318: Causes serious eye damage H319: Causes serious eye irritation

The responsibility to ensure safe working conditions within the workplace remains with the user. The information on this SDS is given as a guide to the precautions required to maintain a safe work environment. This product is for professional use only. Not for sale or resale to the general public. Use in applications other than those described above may give rise to risks not covered by the information on this SDS. The physical and chemical properties on this SDS are typical properties and are not a specification. Please report any errors.

616: SwanMatic Page 6 of 6